

A Landscape Survey of the North West Flanks of Ingleborough. From Keld Bank to Lead Mines Moss. 2007 - 2011

Key: N=Neolithic P = Prehistoric BA=Bronze Age LP= Late Prehistoric IA= Iron Age RB= Romano-British M=Medieval PM=Post Medieval U=Unclassified

Feature No.	Feature Type	NGR Easting	NGR Northing	Period	Altitude Metres	Dimensions (l x w x h)	Description	Comments
ING 001	CAIRN with later structure	73738	75695	LP	394	7.0m x 5.0m x max. 1.4m. Height of disturbed cairn 0.5m	Relatively large cairn surmounted by a post-medieval superstructure in the form of a sub-circular wall with a blocked entrance on the SE, possibly used by shepherds or workmen. Mixture of limestone and sandstone.	Burial/marker cairn
ING 002	CAIRN	73742	75691	U	394	5.0m x 3.0m	Oval spread of weathered sandstone adjacent to large cairn (ING 001). Lying on natural limestone. Could have been robbed out to create adjacent cairn, or vice versa, but sandstone and/or gritstone spreads are known locally. Some stones are loose, possibly recently moved.	Burial/marker cairn
ING 003:1	NATURAL ENCLOSURE	73707	75737	U	390	68.6m x 31.0m	Large natural stone-free grassed area within limestone pavement, enhanced by various structures including walling on either side of the north-west entrance, and an internal earth and stone embankment creating a sub-enclosure to the south. It includes two natural sink holes, one of which is blocked and full of water. It is a raised bog very similar to a natural but smaller feature close by. The enclosure is approached by a modified grassy track through the limestone pavement from the north-west.	
ING 003:2	WALL	73698	75768	U	390	12.5m x 2.0m x 0.9m	Wall flanking SW side of entrance to ING 003:1, incorporating large limestone orthostats, culminating in a large limestone slab, possibly placed there	
ING 003:3	WALL	73672	75760	U	390	17.0m x 0.5mx 0.8m	Wall flanking NE side of entrance to ING 003:1, incorporating large limestone orthostats.	
ING 003:4	EMBANKMENT	N 73690 S 73696	75726 75712	U	390	16.0m inc.7.5m gap	Internal division in natural enclosure - slight embankment with stones	
ING 004	CAIRN	73619	75940	U	375	2.8m x 1.7m x 0.85m	Small square limestone cairn, made up of blocks up to 0.5m wide. Mainly moss covered. Probably post-medieval, but could be earlier.	Burial/marker cairn
ING 005	LINEAR FEATURE	NW 73654 SE 73681	75940 75921	LP	387	linear 32.0m. Integral cairn 3.5m x 1.8m x 0.4m	Pieces of limestone crossing limestone pavement in a broken line. It is aligned on and terminates close to a low cairn (ING 006) at its south-eastern end; there is a low oval cairn at the north-western end which is integral to it.	
ING 006	CAIRN	73720	75893	LP	389	2.7m x 2.5m	Small subcircular limestone cairn with hollow grassy interior and entrance	Ceremonial / burial cairn
ING 007	CAIRN	73625	75988	BA	376	6.0m x 5.0m	Subcircular limestone structure with grass covered interior, probably a ring cairn. Mainly limestone with a few pieces of sandstone. Situated on the edge of the terrace with spectacular views into the valley.	Ceremonial / burial cairn
ING 008	STRUCTURE	73718	76043	U	370	7.0m x 6.5m	Subcircular earth & limestone structure, stone free interior & entrance. Substantial banks over 2m wide. Medieval or earlier. Function unknown.	
ING 009	BUILDING	73728	76001	c16th-17th century	378	6.0m x 4.0m+spread x 0.7m	Double celled structure perhaps a store/shieling/workplace. Mainly built of limestone, some courses still visible. Each cell has entrance on the south side, but there is no evidence of a connecting doorway.	
ING 010	ENCLOSURE	73745	75987	U	380	12.0m x 9.5m	Remains of sub-triangular enclosure, incorporating natural hollow and surrounding banks. Mainly of limestone. Appears to have been disturbed and partially robbed out. Possible entrance on east side..	
ING 011	ENCLOSURE	73723	75960	U	379	18.0m x 7.5m	Sub-rectangular enclosure with south wall incorporating limestone pavement. Parts of the enclosure badly disturbed and robbed out. Interior soil cover very thin, natural pavement exposed in places. No obvious internal features.	
ING 012	LEAD SHAFTS	73573	76023	prob. 18th century	368	E. working 3.3m x 2.2m. W. working 3.7m x 1.5m. Maximum depth: 1.0m	Two small trial workings with fragments of barytes and copper in their spoil heaps. Aligned E-W. Upcast on 3 sides of E. working suggesting a small trial shaft. Separated from the W. working by 1.8m of unworked ground. W. working has spoil only on the long axis suggesting a rectangular trial following the vein. Probably an 18th century trial working for copper ore.	

Feature No.	Feature Type	NGR Easting	NGR Northing	Period	Altitude Metres	Dimensions (l x w x h)	Description	Comments
ING 013:1	BOULDER CIRCLE	73378	75905	BA	365	12.4m x 11.4m x max. 0.5m	Stone circle made up of approximately 16 low limestone boulders, with small cairn to west. Situated on the upper terrace.	
ING 013:2	CAIRN	73377	75912	BA	365	4.2m x 3.9m	Small low turf covered cairn, with scattering of limestone, a little sandstone.	Ceremonial / burial cairn
ING 014	ENCLOSURE	73663	75993	U	379	15.0m x 7.0m	Sub-rectangular enclosure built around a natural hollow, with large pieces of limestone piled up and partially grassed at northern end. In sheltered position. Possible entrance in middle of western bank.	
ING 015	BANK (EARTHWORK)	E 73377 W 73355	75882 75913	LP	360	40.0m.	Linear embankment of mainly limestone boulders with some (7) sandstone. Probable field boundary, crossing and dividing the terrace as part of a larger co-axial field system. Likely to have been hedged.	
ING 016	ENCLOSURE	74135	76475	M	358	20.6m x 13.5m	Sub-rectangular enclosure with some large limestone orthostats and coursed stone. Bay on south corner. Possible NW entrance. In the proximity of Souther scales, and likely to be contemporary.	
ING 017:1	ENCLOSURE	74216	76482	U	352	11.8m x 7.0m	Sub-rectangular enclosure, backed onto limestone pavement. Occasional orthostats	SD77 NW7
ING 017:2	SUB-ENCLOSURE	74216	76482	U	352	3.9m x 3.8m	Virtually square limestone enclosure.	
ING 018	LINEAR STRUCTURE	74218	76404	M	357	Total 41.6m. From spring to last stone:15.3m. Pond diam.14.0m	A natural bay in the limestone pavement with a parallel, limestone structure running NNE-SSW from a head spring to possible stock pond. Lower section shows only as depression. Vegetation changes: ferns, reeds etc. Possible medieval structures contemporary with Souther scales, though it could be later.	
ING 019	BANK (EARTHWORK)	74255	76332	U	361	7.6m x 1.0m	Low limestone wall base running E-W. Probably to keep stock out of Roaring Hole.	
ING 020:1	DITCH	74294	76251	Modern	361		Water management. Ditch appears to guide natural spring into pond. West of track with spoil bank on west. Work done by YDNPA	
ING 020:2	POND	74286	76247		361	E-W: 11.5m N-S: 9.2m	Pond, possibly natural feature	
ING 020:3	SPOIL BANK	74305	76189	Modern	361			
ING 021	TRIPLE SHEEP FOLD	74262	76054	C19th	371	E-W 28.0m. N-S 8.0m	Triple interconnected sheep fold, in ruinous condition, associated with the enclosure wall.	
ING 022	ENCLOSURE 'HARRY HALLAM'S FOLD'	73533	75695	PM	398	21.0m internal max.x 19.7m Cell externally 4.5m x 4.0m	Substantial sub-rectangular well built stock enclosure. Constructed with large limestone blocks, taken from pavement. Coursed in parts, some blocks 1m and more in length. Highest point of wall = 1.8 m. Line of uprights adjoining enclosure on E. side = 15.4m long. Internal cell in NW corner with SE entrance. Possible dew pond on SE side approx. 5m diameter.	SD77 NW41
ING 023	STONE-LINED PIT	73665	75575	Modern	401	2.0m x 3.0m	Recent cavers' dig leading to approx. 6ft drop. Revetted wall. Limestone "lid"	
ING 024	CAIRN	73408	75808	PM	394	4.2m x 5.2m x 0.8m	Built of thinly bedded limestone pieces, up to 0.5m long.	Ceremonial / burial cairn
ING 025	CAIRN	73287	75695	LP	401	6.0m x 7.5m x 1.0m	Earth and stone mound partially grassed and moss covered, low profile. Thinly bedded limestone pieces, up to 0.5m long. Probably prehistoric but could be later.	Burial/marker cairn
ING 026	CAIRN	73167	75552	Modern	411	N-S 1.4m, E-W 1.0m. 1.3m high	Modern. Walkers' cairn. Limestone	Marker cairn
ING 027	CAIRN	73128	75519	Modern	411	0.8m x 0.8m x 0.8m	Modern. Walkers' cairn. Limestone	Marker cairn
ING 028	CAIRN	73131	75508	PM	411	2.2m x 2.2m x 4.0m	Tall, prominent, square pillar cairn. 3.5 - 4.0m high. Well built thinly bedded limestone. Moss & lichen. Possibly on site of earlier low circular cairn.	Marker cairn
ING 029	CAIRN	73448	76050	Modern	358	1.0m x 1.0m x 0.5m	Probably modern walkers' cairn. Limestone. At the top of the trackway.	Marker cairn

Feature No.	Feature Type	NGR Easting	NGR Northing	Period	Altitude Metres	Dimensions (l x w x h)	Description	Comments
ING 030	TRACKWAY	1: 73446 2: 73438 3: 73427 4: 73379	76055 76039 76034 76014	U	361 356 353 339	2.0m - 3.0m width.	Grassy track through limestone, approx. 200m rising about 20m. Access track to upper terraces. 030:4 = bottom of track	
ING 031	TRACKWAY	1: 73466 2: 73461 3: 73452 4: 73461 5: 73476 6: 73456 7: 73464 8: 73471 9: 73502	75981 75961 75948 75931 75924 75891 75882 75855 75772	U	359 365 368 369 374 375 378 385 387	approx. length 220.0m	Grassy track through limestone, rising about 30m onto and through limestone pavement. Access track across terraces. 031:9 diverts from the track to lead to Harry Hallam's Fold. Natural feature enhanced by human activity.	
ING 032	POTHOLE ENTRANCE	74566	76243	Modern	363		Knacker Trapper Pot. Scaffolded entrance to dug-out pothole, where stream sinks.	
ING 033	WASHFOLD	74756	76469	PM	358	N. enclosure by the beck side 0.5m x 6.3m.	Appears on 1st edition OS.map. 3 interconnected enclosures, graded in size down to the beck, which disappears at this point under the limestone pavement. Probably in use until WW2. The beck was dammed with sacks of soil and the sheep gathered in the upper enclosure, to be pushed through the smaller pens to the beck. Limestone/sandstone walls. The lower pens lie on the natural smooth limestone bed with an entrance to the beck in the north corner of ING 033.	MYD 24607 SD77 NW46
ING 033:1	ENCLOSURE	74755	76462	PM	359	7.5m X 4.5m	GPS taken from centre of middle enclosure	
ING 033:2	ENCLOSURE	74756	76451	PM	362	14.0m x 13.0m	GPS taken from centre of southern enclosure	
ING 034	ENCLOSURE	74556	76835	U	351	14.0m x 9.5m max. across outer limit	D' shaped enclosure. Earthwork bank, spread approx. 1-2m, backed by natural rise. Mainly limestone, with some sandstone. Long axis EW. Probably prehistoric to medieval.	
ING 035	CAIRN	74564	76872	LP	348	8.0m.diameter	Grassy mound with mainly sandstone kerb and a central, pointed limestone, possibly placed later. Distinct profile. Possible signs of disturbance.	Ceremonial / burial cairn
ING 036	CAIRN	74536	76864	LP	349	Internal mound diam. 2.5m.	Grass covered cairn. 2 limestone orthostats 3.0m. apart, aligned E.- W. Some sandstone around the base. Low profile. Central, circular depression indicating excavation.	Ceremonial / burial cairn
ING 037	CAIRN	74650	76969	LP	351	NS 9.25m. EW 8.4m. 1.5m high	Grass covered cairn with kerbstones, obscured by moss. Mostly sandstone. Orientated N-S, towards summit of Ingleborough. Distinct but irregular profile. Recent excavation trench 2.0m x 1.0m in centre.	Ceremonial / burial cairn
ING 038	CAIRN	74666	76961	LP	351	5.75m x 5.0m	Grass mound with 2 sandstone kerbstones. Low profile. An excavated irregular shaped hole 1.0m x 0.7m in centre of mound. Orientated N-S towards summit of Ingleborough.	Ceremonial / burial cairn
ING 039	CAIRN	74649	76925	LP	351	7.0m x 5.0m	Grass cairn with limestone blocks. Low profile. Probably disturbed with possible kerbstones, with some sandstone. Orientated N-S, towards summit of Ingleborough.	Ceremonial / burial cairn
ING 040	CAIRN	74663	76925	LP	351	9.0m x 7.0m approx.	Very disturbed but possibly oval. Grass with limestone outcropping. Low profile. Orientated N-S towards summit of Ingleborough.	Ceremonial / burial cairn
ING 041	CAIRN	74581	76934	LP	348	3.9m x 4.3m	Grass covered mound with limestone. Low profile. On edge of terrace. Orientated N-S, towards summit of Ingleborough.	Ceremonial / burial cairn
ING 042	CAIRN	74565	76816	LP	353	diam. 5.0m.	Grassy mound with scattered limestone & sandstone. Low profile. Subcircular.	Ceremonial / burial cairn
ING 043	CAIRN	74582	76816	LP	353	5.5m x 5.0m	Grass covered mound. Scattered sandstone and limestone. Low profile. Orientated N-S, towards summit of Ingleborough.	Ceremonial / burial cairn
ING 044	CAIRN	74594	76828	LP	353	5.0m x 5.3m	Small irregular mound, probably enhanced natural feature embracing limestone boulders. Limestone & one piece of sandstone. Low profile.	Ceremonial / burial cairn

Feature No.	Feature Type	NGR Easting	NGR Northing	Period	Altitude Metres	Dimensions (l x w x h)	Description	Comments
ING 045	CAIRN	74608	76806	LP	353	8.5m x 6.5m	Low oval mound. Ringed by sandstone. Limestone in centre. Orientated N-S, towards summit of Ingleborough.	Ceremonial / burial cairn
ING 046	CAIRN	74633	76810	LP	353	6.3m x 5.5m	Grassy, mossy, oval mound. Mostly sandstone including one small boulder to the south. Kerb stones. Orientated N-S, towards summit of Ingleborough.	Ceremonial / burial cairn
ING 047	CAIRN	74637	76791	LP	353	6.0m x 4.5m	Grassy oval mound with sandstone. Distinctive, large triangular boulder to the SE . Orientated N-S, towards summit of Ingleborough. Low profile.	Ceremonial / burial cairn
ING 048	QUARRY	74680	76759	C19th	356	6.5m x 4.0m	Limestone. Possibly walling quarry. Aligned NNE - SSW on long axis	
ING 049:1	DITCH	74747	76780	PM	358		Water management feature tapping stream from higher ground	
ING 049:2	DITCH	74727	76963	PM	348		Limestone lintel in wall. Stream has been cut & stops at track. No lintel in lower, older wall with irregular base. Rebuilt? Usage unknown but high volume. Mineral washing ? Domestic use ?	
ING 050	LINEAR FEATURE	SE 73346 NW 73323	75838 75867	LP	361 - 364	35.0m long	Linear embankment of mainly limestone boulders with some sandstone. Probable field boundary, crossing and dividing the terrace as part of a larger co-axial field system. Running NW to SE. Likely to have been hedged. Incorporates a large, distinctive limestone boulder.	
ING 051	ENCLOSURE	73318	75829	LP	362	height 1.3m diameter 5.0m	U shaped enclosure. Limestone with associate limestone boulder (2.1m x 1.7m). Entrance interior 3.0m, exterior 5.2m. Long axis SW -NE. Hints of double line of stone. Large boulder NE side of entrance. Possible small animal pound.	
ING 052	BOULDER FEATURE	73079	75568	LP	382	SE-NW 7.0m NE-SW 4.6m	Grotesque limestone boulder enhanced with banks of equal length on either side.	
ING 053	ENCLOSURE	73878	75941	U	378	Internal 9.0m x 3.0m to 3.5m	Edge of natural grass hollow enhanced with limestone walling. Surrounded by limestone pavement. Long axis SW - NE.	
ING 054:1	QUARRY	74495	76534	C19th	350	length:13.5m	Limestone. Probably for walling. Part of a sequence of small quarries parallel to wall	
ING 054:2	QUARRY	74503	76520	C19th	350	length:16.0m	Limestone. Probably for walling. Part of a sequence of small quarries parallel to wall	
ING 054:3	QUARRY	74498	76570	C19th	350	length:10.0m	Limestone. Probably for walling. Part of a sequence of small quarries parallel to wall	
ING 054:4	QUARRY	74505	76651	C19th	356	length 4.5m	Limestone. Probably for walling. Largely grass covered.1.0m high.	
ING 055	CAIRN	74506	76590	LP	354	10.0m x 7.2m	Grass covered low mound. Oval in shape. Within the cairn is a subcircular ring of sandstone set around a hollow 3.0m across. Long axis NW - SE. Scattered sandstone. Low profile.	Ceremonial / burial cairn
ING 056	CAIRN	74537	76877	LP	347	2.5m x 2.5m x 0.5m	Subcircular, low grass covered mound with some limestone and sandstone	Ceremonial / burial cairn
ING 057	CAIRN	74539	76639	LP	356	diameter 6.5m	Grass covered sub-circular mound, 1.0m high. Sandstone boulders & outer ring of stone with kerb stones.	Ceremonial / burial cairn
ING 058	ENCLOSURE	74511	76652	LP	357	25.5m x 16.5m	A curvilinear enclosure. All that remains of a sub-circular feature partly destroyed by quarrying with stone and earth banking. Possibly contemporary with adjacent cairnfield. Enclosure of unknown function. Some sandstone present but mainly limestone.	
ING 059	CAIRN	74540	76661	LP	355	diameter 4.0m	Sub-circular grassy mound, possibly natural. Sandstone and limestone.	Ceremonial / burial cairn
ING 060	WORKED FLINT	74582	76654	LN / BA	357	0.03m x 0.02m	Flint side scraper. Thermally altered. Picked up 21.5.2008 near entrance to Hardrawkin Cave system	
ING 061	CAIRN	74302	76424	LP	357	2.9m x 2.4m	Cairn on natural rise, surrounded by limestone pavement. Confused by tumble. Limestone, nettles & orchids.	Burial/marker cairn
ING 062	FLINT			Mesolithic		0.02m x 0.015m	Flint microburin.	
ING 063	WORKMAN'S SHELTER	73913	75107	PM	463	length overall: 4.0m width across front 2.9m. Int. ht. 1.4m	Arctuate gritstone shelter, crudely built with single skin of stone. Built into the bank below the Arks overlooking the terrace. Facing NNE.	
ING 064	WORKMAN'S SHELTER	73910	75103	PM	466	2.0m x 1.5m depth 1.2m	Crude shelter built into boulder spread. Basically a roofless pit.	

Feature No.	Feature Type	NGR Easting	NGR Northing	Period	Altitude Metres	Dimensions (l x w x h)	Description	Comments
ING 065	WORKMAN'S SHELTER	73929	75091	PM	479	external length. 2.9m external width. 2.0m	Rectilinear structure. Wall height 1.0m, above 60 cm pit. Sandstone.	
ING 066	WORKMAN'S SHELTER	73729	75135	PM	437	length 2.6m. internal width 0.6m external width 1.7m	Probable night shelter, with much of roof intact. Coarse grey sandstone. Carefully built, utilising land-fast boulder on one side. North facing. Front section collapsed. Deep enough to lie in. Height to bottom of lintel = 1.2m. Max. depth of covered section 1.4m, without roof 1.2m	
ING 067	SHELTER	73798	75040	PM	465	E-W 2.0m N-S 2.1m	Ruined structure built into the bank, facing east. Possibly a windbreak. Four upright orthostats with supporting stone work on the downside. No sign of a roof.	
ING 068	WORKED SANDSTONE	73716	74544	before 1800	570	1.1m x 1.5m x 0.4m	Block of sandstone with clear line of tooling marks	
ING 069	ENCLOSURE	73797	76057	M	361	18.0m x max.7.0m	A natural enclosure at the head of Spice Gill utilising the limestone pavement, reinforced with collapsed stone walling. Two bays. There is evidence of the enclosure extending beyond and below the enclosure wall at the NW end and therefore predating it. The collapsed walling may be contemporary with the enclosure wall but the probable wall footings across the footpath suggest a medieval date for the enclosure.	
ING 070	ENCLOSURE	73622	76064	LP	363	external N-S axis 10.0m E-W axis against scarp 10.0m	D shaped enclosure with placed limestone boulders. Slight embankment May be hedge-line. EW axis against scarp.	
ING 071	CAIRN	73482	76076	LP	363	diameter 3.5m	Possible low clearance cairn. Subcircular. Heap of shattered limestone	Clearance cairn
ING 072	ENCLOSURE	73167	75382	M	410	max. ext. length: 10.0m. max.ext. depth: 6.9m	Semi-circular enclosure backed onto the limestone pavement and edged with orthostats. A decayed stone wall encloses the western section, with an earth and stone bank enclosing the east. Pieces of limestone taken from the pavement.	
ING 073	CAIRN	73332	75866	LP	371	N-S 3.4m E-W 2.8m	Grass covered, low, oval mound. Limestone with some sandstone.	Ceremonial / burial cairn
ING 074	BANK (EARTHWORK)	W 73171 E 73195	75719 75707	LP	375		Broad low bank, 2.0m wide, develops into single line of limestone boulders. Adjacent spring. Runs NW across terrace.	
ING 075	SUB-CIRCULAR STRUCTURE	73129	75629	U	377	external diameter 5.0m	Sub-circular structure with substantial earth and stone embankment. Possible entrance on the side of the scree slope beneath which it sits. Bank incorporates large natural boulder. Sunken centre.	
ING 076	STRUCTURE	73104	75630	U	376	N-S 4.0m E-W 3.4m	Irregular squarish structure, with two straight low limestone walls joined by a low stony bank.	
ING 077	CAIRN	72654	75337	LP	397	diameter 4.5m	Sub-circular feature, probably a cairn but could be a collapsed structure. Mossy interior with grass-covered tumble. Mostly limestone but with some sandstone.	Ceremonial / burial cairn
ING 078	ENCLOSURE	72835	75312	U	396	diameter roughly 10.5m	Sub-circular (polygonal) enclosure close to hollow-way. Free-standing fragmented, limestone blocks with some sandstone. Probably a stock pen. A couple of possible entrances.	
ING 079:1	BUILDING	72810	75290	C16th - C17th	395	NE-SW ext. length 7.5m x 4.2m	Double celled structure probably a shieling and/or workplace with adjacent enclosure. Mainly built of limestone, some courses still visible. Each cell has entrance on the south side, but there is no evidence of a connecting doorway. Cells of equal size, which may have been built at separate times. Southernmost cell includes a long raised area along the back wall which may have been a sleeping bench, and would have been covered with ling or bracken.	
ING 079:2	ENCLOSURE	72812	75284	C16th-C17th	396	NW-SE 13.7m NE-SW 8.0m	Enclosure associated with double-celled structure, presumably for stock. Banks of earth and limestone, probably originally hedged.	
ING 080	CAIRN	72767	75295	LP	408	diameter 4.8m	(NGR 11.0m accuracy). Sub-circular, grass-covered mound. A few pieces of scattered limestone & sandstone.	Ceremonial / burial cairn

Feature No.	Feature Type	NGR Easting	NGR Northing	Period	Altitude Metres	Dimensions (l x w x h)	Description	Comments
ING 081	CAIRN	72806	75281	LP	400	4.0m x 4.0m	Sub-circular feature, probably a cairn made of shattered limestone pieces on a slight grass covered mound. Mossy interior.	Ceremonial / burial cairn
ING 082	CAVE	72302	74781	U	395	roof ht 1.15m above tumble. Total depth 3.5m.	Deep cleft in rock. Part of natural fracture. Front of cleft appears to have artificial infill. Roof starts 1.5m in. 30° angled drop. Cleft continues in the rockface above the cave, marked by a minor fissure. Blocked by limestone.	
ING 083:1	WALL	W 72346 E 72768	74781 74724	U	430	length approx. 400.0m	Limestone wall with many orthostats, maximum height just over one metre. With irregular coursing, collapsed in parts. Medieval or earlier. Significant division of land. A possibly older bank lies underneath parts of the wall. In its best preserved sections the wall has orthostats along its base with areas of rough courses inbetween. The different building styles possibly indicate different phases of building. It re-emerges on the lower slopes of Black Shiver, initially as a bank with stones but further up as an intermittent limestone/gritstone wall, climbing to just beneath the summit of Ingleborough.	
ING 083:2	WALL	72452	74765	U	426	approx. 1.0m wide	A clear entrance point through the wall with a trackway going through.	
ING 084	ENCLOSURE	72367	74777	U	423	7.5m x 7.0m x 7.5m	Small, triangular enclosure associated with the 400m wall Limestone, maximum height just over 1.0m. Bowed sides with entrance on east adjacent to the wall.	
ING 085	STRUCTURE	72876	74492	U	449	ext.length approx.11.5m ext.width approx.6.0m	Earth banks enhanced by limestone. Possibly a building. Both size and situation suggest a longhouse.	
ING 086	CAIRN	74548	76646	LP	357	4.0m x 3.0m	Oval low, grassy mound with sandstone. Adjacent to ING 057. Orientated N-S, towards summit of Ingleborough.	Ceremonial / burial cairn
ING 087	CAIRN	74630	76747	LP	351	5.0m x 4.0m	Low, grassy, oval mound. Well marked by sandstone. Orientated E-W.	Ceremonial / burial cairn
ING 088	CAIRN	74611	76777	LP	350	3.3m x 6.0m	Grassy, oval mound. Central block of limestone. Limestone & sandstone kerb. Orientated N-S, towards summit of Ingleborough.	Ceremonial / burial cairn
ING 089	BOULDER	74760	77252	LP	348	length 2.4m, w.1.4m, depth 0.8m	Propped limestone boulder resting on limestone pavement. Indicates human interference Does not appear to be natural.	
ING 090	CAIRN	74652	76920	LP	353	3.7m x 3.3m	Subcircular, grassy mound. Scattered limestone embedded in the turf.	Ceremonial / burial cairn
ING 091	CAIRN	74669	76920	LP	356	6.0m x 4.5m	Grass covered, limestone & sandstone. Disturbed. Possible excavation trench. Orientated NE - SW.	Ceremonial / burial cairn
ING 092	STRUCTURE	74524	76822	LP	351	N-S int. 2.5m, ext. 4.3m. E-W int.1.9m, ext.3.6m	An earth and stone, grass covered low oval embankment with entrance on west side. Limestone. Function and period unknown.	
ING 093	CAIRN	74579	76734	LP	354	N-S 3.6m E-W 2.5m	Possible site of lost cairn, as defined by a rough oval shape of sandstone boulders on the limestone pavement. Appears to be eroded and/or robbed out. Orientated N-S, towards summit of Ingleborough.	Ceremonial / burial cairn
ING 094	SANDSTONE FEATURE	74568	76737	U	357	N-S 7.0m E-W 5.4m	Semi-circular arrangement of sandstone on grassy area abutting limestone pavement	
ING 095	SANDSTONE FEATURE	74565	76718	U	354	N-S 4.0m. E-W 3.2m	Close to ING 094 with similar arrangement of sandstone. Additional sandstone to north could indicate that it is part of a larger two celled feature	
ING 096:1	QUARRY	74505	76753	U	356	width 5.7m, depth 3.5m, height .75m	One of group of 3 limestone quarries. Adjacent to wall.	
ING 096:2	QUARRY	74505	76753	U	356	width 3.9m, depth 3.3m, height 1.0m	One of group of 3 limestone quarries. Adjacent to wall.	
ING 096:3	QUARRY	74505	76753	U	356	width 7.0m. depth 5.5m. height 1.5m	One of group of 3 limestone quarries. Adjacent to wall.	

Feature No.	Feature Type	NGR Easting	NGR Northing	Period	Altitude Metres	Dimensions (l x w x h)	Description	Comments
ING 097:1	CAIRN	74652	77396	N	336	mound N-S 24.5m E-W 13.9m, height from approx. max.4.0m to 1.0m	Neolithic 'short' long cairn. Large oval mound orientated N-S and aligned on Ingleborough. Excavated, possibly more than once. Constructed on a natural bank with the southern end much lower than the northern. Boulders piled on the highest point may be spoil from the excavation although there is some slight evidence of a construction.	Ceremonial / burial cairn, referred to in MYD 3683
ING 097:2	CAIRN	74658	77387	N / BA	334	external diameter 6.2m. Internal diam.1.9m.	Small sub-circular doughnut shaped cairn at SE end of neolithic 'short' long cairn. Earth and stone construction.	Ceremonial/ burial cairn
ING 097.3	MORTUARY ENCLOSURE	74659	77391	N	334	8.0m x 5.0m	Small enclosure on east side of long cairn, with its northern bank overlying the cairn, and its southern bank underlying the small doughnut shaped cairn. Possible mortuary enclosure.	
ING 098	SETTLEMENT	74690	77340	IA / RB	338-341	max.height of banks 0.6m	Iron Age to Romano-British settlement on Keld Bank. Area of level turf with three enclosures, within perimeter bank. Rough pasture, water-course runs through.	MYD 3683
ING 099	ENCLOSURE	74622	77294	IA / RB	339		Earth and stone sub-circular grass-covered embanked enclosure. Mainly limestone, scattered sandstone	
ING 100	SHEPHERDS' SALVING POTS	74758	77053	C20th	349	concrete slab: 2.1m x 1.4m. Height:0.8m. Set pots: diam.0.72m.	2 iron set pots (coppers) in a concrete slab. Iron frame, brick supports; housing a fire below the pots Heating water for use in salving sheep to kill parasites; to mix sheep dip when a powder or rub. Evidence of related structures surrounding it, possibly sheep pens.	
ING 101:1	ENCLOSURE	72379	74734	U	423	int. N-S 19.5m E-W 52.5m. Enclosing bank to west 16.0m	Large enclosure located south-east of the 400m wall ING 083. A natural grassy space within limestone pavement, with a large earth and stone bank at its open (west) end. Bank mainly limestone with some sandstone boulders, max. width 3.7m. Internally two sub-enclosures for stock. Tumble associated with limestone pavement on the east, blocking natural entrances.May be medieval or earlier.	
ING 101:2	ENCLOSURE	72405	74717	U	423	external 8.4m x 12.5m	Internal sub-enclosure at eastern end. Curvilinear.	
ING 101:3	ENCLOSURE	72391	74740	U	424	external 9.8m x 5.5m	Internal sub-enclosure at north-west end.	
ING 102	BANK (EARTHWORK)	72268	74878	LP	386	11.0m x 2.0m	Short, low bank, possibly remains of wall foundations. Limestone	
ING 103	BOULDER FEATURE	72709	75280	LP	373	1.4m x 1.4m x 1.0m	Distinctive flat-bottomed limestone cap, resting on natural limestone but deliberately wedged with a limestone chock. Possibly natural or remains of cairn. Similar to 2 others in vicinity.	
ING 104	BANK (EARTHWORK)	72926	75528	LP	366	11.8m x 2.7m. max	Limestone, some sandstone. Widely spaced, Does not extend full width of terrace.Additional stony bank set at right angles separated by 5.0m gap.	
ING 105	LEAD WORKING	72795	75336	PM	389		Backfilled adit 1.5m wide trending NW/SE traceable for 6.0m above a large convex spoil heap 6.0m broad & approx. 4.0m high containing quartz & barytes. Probable 18th c. lead or copper trial working	
ING 106	STRUCTURE	73023	75608	U	360	SE-NW 2.0m NE-SW 4.0m	Oval shaped structure with earth and limestone banks. Unknown date and function.	
ING 107	ENCLOSURE	73156	75797	U	338	The small paddock is 13.0m x 17.0m	Large enclosure with two banks running between scree & pavement edge. Limestone and sandstone mixed.Larger southern bank cuts diagonally across the terrace in a slight curve. The N. bank is slighter and shorter taking the most direct route. Adjoining the S. bank in the west corner is a small paddock. Similar bank on lower terrace.	
ING 108	CAIRN	73301	76027	LP	340	NE-SW 3.8m SE-NW 2.0m	Low stony cairn with limestone and sandstone scatter.	Ceremonial/ burial cairn
ING 109	CAIRN	73316	76041	LP	340	E-W 3.0m N-S 2.0m	Low stony cairn with limestone and sandstone scatter.	Ceremonial/ burial cairn
ING 110	BANK (EARTHWORK)	73356	76017	LP	345	length 45.0m approx.	Low earthwork with limestone and sandstone. Runs from bottom of the track towards the escarpment edge. E/W alignment	

Feature No.	Feature Type	NGR Easting	NGR Northing	Period	Altitude Metres	Dimensions (l x w x h)	Description	Comments
ING 111	SHELTER	73499	74815	C18th	462	front width 0.085m, rear width 1.0m, height 1.45m	Rough but solidly built shelter, with stone flagged roof. Facing WSW. Depth 1.0m. Built out of and into the boulder spread. Big enough for 2 men. Associated with stone workings.	
ING 112	SHELTER	73500	74702	C18th	479	length 2.2m. x width 1.2m	Roughly built shelter, with walls standing to roof height, but most of roof collapsed. Facing NE. Large enough to be overnight shelter. Built on boulder spread.	
ING 113	BIELD	73547	74590	C18th	512	length 2.0m	Facing west. Arcuate shelter. In direct line with the 400m wall	
ING 114	BIELD	74216	74776	PM	671	length 14.0m.	Wall aligned E-W, at foot of natural hollow closing it off from below near top of The Arks.	
ING 115	SHELTER	73860	74561	PM	648	internal length 2.6m, internal width 2.1m, height 1.2m	No entrance, no roof. Max. interior height 1.2m. Northern wall formed by part of ING 116:1.	
ING 116:1	WALL	E 74040 W 73849	74609 74555	M	641 725	length 150.0m max.height 1.5m	Upper section of partially collapsed drystone wall which starts at its eastern end on the scree slope just beneath the summit of Ingleborough and finishes close to shelter (ING 115). Possible gateway on upper terrace.	
ING 116:2	WALL	W 73559 E 73670	74605 74621	M	512 557	length 225.0m, top width 1.0m, max.height 1.1m	Lower section of collapsed drystone wall between Black Shiver and Falls Foot. Appears to be continuation of ING 116:1.	
ING 117	SHEEPFOLD	73528	74478	PM	508	internal diam. 15.0m x 15.0m	Subcircular, mostly collapsed.	
ING 118	WORKED SANDSTONE	73722	74554	PM	576	diameter 1.45m, depth 0.026m	Roughed out, abandoned millstone. One quadrant broken off and missing. Partially buried under scree.	
ING 119	WORKED SANDSTONE	73818	75191	PM	434	width 1.7m, height 0.8m	Chisel marks running in a straight line on the face with a vertical cut at right angles. Possible blank for millstone or grindstone.	
ING 120	SETTLEMENT	72131	75232	RB	260	SW-NE 70.0m NW-SE 55.0m	High Howeth settlement site. Series of banks, platforms & enclosures encompassed by bank, with possible site of pond in south-east corner. No evidence of structures, apart from presence of large scattered stones. External bank is most pronounced on western lower slope. Main entrance on east. Axis length measurement approximate.	
ING 121	EARTHWORKS	72227	75235	RB	280		Series of banks and platforms incorporating a gently curving bank, outside but possibly related to ING120. Covers an area approximately 20.0m square.	
ING 122	QUARRY	72201	75221	PM	277	30.0m x 8.0m x 3.0m	Limestone, cut laterally into slope, north facing. Measurements are maximum figures	
ING 123	QUARRY	72279	75234	PM	280	18.0m x 4.0m x 1.0m 18.0m x 6.0m x 2.5m 15.0m x 3.0m x 5.0m	Limestone. Three benches cut laterally into slope: SW, NE and a central cut.. NNW facing.	
ING 124	TRACK	W 72396 E 72464	75127 75119	U	316 354	length 60.0m approx	Climbs steeply across scar to terraces above	
ING 125:1	WALL	SW 72207 NE 72244	74835 74903	M	381 379	discontinuous length 77.0m, returns west for 2.0m away from the scarp.	Head dyke. Limestone. Runs NNE-SSW along top of outcrop below modern wall, which encloses the terrace above.	
ING 125:2	WALL	72154	74792	M	374	length 15.0m approx	Continuation across gully	
ING 125:3	WALL	72139	74799	M	372	length S-N 8.0m	Abutting scarp face. Crudely built but continuous	
ING 125:4	WALL	SW 71958 NE 72074	74600 74697	M	383	length 150.0m approx	Curved, running SW/NE then south* to within 8.0m of modern wall	
ING 125:5	WALL	72048	74683	M	371		Cripple hole	
ING 125:6	WALL	71975	74629	M	357		Junction with wall running NW - SE	
ING 125:7	WALL	71954	74580	M	382	length 20.0m from turn to south	End of wall ING125:1-7	

Feature No.	Feature Type	NGR Easting	NGR Northing	Period	Altitude Metres	Dimensions (l x w x h)	Description	Comments
ING 126:1	WALL	SW 71886 NE 72216	74923 75152	U	290 302	length 400.0m	Limestone; running NE/SW. Partially shown on OS map. Predates parliamentary enclosure.	
ING 126:2	WALL	72120	75085	U	292	length SE-NW 2.5m	T-junction integral to wall	
ING 127	BANK	72043	75011	U	300	length 42.0m	Running SE - NW	
ING 128	WALL	SE 72019 NW 71996	75047 75095	U	299 281	length 53.0m approx.	Collapsed wall running SE - NW adjoining ING 126	
ING 129	CAVE	71851	75008		266	length 37.0m	Ten Pound Gill. Excavated	
ING 130	WATER OFFTAKE	71793	74970	C20th	264		Small, walled enclosure. Retaining wall of limestone blocks.	
ING 131	WALL	W 71796 E 71850	74921 74896	U	289	total length 55.0m max.ht. 1.8m	Old wall, mainly collapsed. Standing to full height at west end. Crosses two terraces & intervening scree slope.	
ING 132	WORKED SANDSTONE	73828	75193	M / PM	433	curved edge 0.97m, bowed edge 0.75m, depth 0.28m.	Millstone negative. One edge curved, one slightly bowed. Tooling marks on both faces. High degree of weathering.	
ING 133	WORKING AREA	73828	75193	M / PM	433	E-W 3.5m. N-S 2.4m.	Flat, platform area on rising ground, scattered sandstone, some worked pieces.	
ING 134	WORKED SANDSTONE	73759	75160	M / PM	430	diam. 0.95m, depth approx. 0.28m	A roughed out abandoned grindstone	
ING 135	WORKED SANDSTONE	73728	75123	M / PM	438	1.93m x 0.38m x indeterminate width	Stone rough-out or negative for a lintel. Very weathered, with notched edge. Other stone remnants nearby.	
ING 136	SANDSTONE SEAT	73751	75013	U	451	width of structure 1.4m.	Probably same period as shelters. Facing NW, with outstanding view over Morecambe Bay.	
ING 137	WORKED SANDSTONE	73464	74743	M / PM	475	diam. 1.05m. thickness 0.16m	A roughed out abandoned grindstone lying above a spread of sandstone between two terraces. Clear chisel marks.	
ING 138:1	WORKED SANDSTONE	73520	74715	M / PM	481	length 1.24m, width 0.28m, depth 0.24m	Broken negative for millstone. Width is average figure. Close to shelter ING 112	
ING 138:2	WORKED SANDSTONE	73531	74732	M / PM	481	0.95m x 1.1m x 0.2m	Possible negative for millstone	
ING 139	CAIRN	74620	77385	N	338	14.5m x 6.0m x 1.5m west, 0.5m east	Grassy, ovoid mound lying NE-SW on Keld Bank. Its length follows the contour and its width straddles the natural bank. Sandstone boulder at SW end. Height measurements approx. Close to ING 097& both are situated within a bank that appears to enclose the settlement ING142.	Ceremonial/ burial cairn
ING 140	CAIRN	74624	77409	N / BA	335	external diameter approx. 6.0m. internal diameter approx. 2.0m.	Adjacent to ING 097:1 & ING 139. Similar to ING 097:2. Subcircular. Grassed. Appears to have been partially excavated.	Ceremonial/ burial cairn
ING 141	POT HOLE ENTRANCE	73377	75430	Modern	408		Limestone & sandstone retaining wall with residue piled behind & crudely turfed	
ING 142	CAIRNS	72346	74891	Modern	423	approx 0.1m diam. 0.8m high	Two crudely built low limestone cairns on the edge of the terrace.	Marker cairns
ING 143	BIELD	74714	77366	possibly C18th	339	length 24.0m, ht. 1.8m, w. 1.0m at base, 0.6m top.	Well built, arcuate bield on the upper terrace of the settlement. Limestone from the pavement.	
ING 144	CAIRN	74499	76821	LP	348	3.5m x 3.8m x 1.0m	Subcircular, grass covered mound. Large limestone boulder to west	Ceremonial / burial cairn
ING 145	CAIRN	74494	76843	LP	348	5.0m x 5.0m	Subcircular, grass covered mound - several sandstone boulders	Ceremonial / burial cairn

Feature No.	Feature Type	NGR Easting	NGR Northing	Period	Altitude Metres	Dimensions (l x w x h)	Description	Comments
ING 146	CAIRN	74480	76830	LP	348	4.4m x 4.4m	Subcircular, grass covered mound - several sandstone boulders	Ceremonial / burial cairn
ING 147	CAIRN	74485	76817	LP	348	3.4m x 4.8m	Grass covered mound - several sandstone boulders. Orientated N-S, towards summit of Ingleborough.	Ceremonial / burial cairn
ING 148	CAIRN	74530	76849	LP	355	2.2m x 2.2m x 0.5m	Low grass covered, subcircular mound with 3x sandstone rocks at the kerb	Ceremonial / burial cairn
ING 149	CAIRN	74551	76778	LP	353	5.6m x 5.2m x 0.5m	Large, low subcircular grassy mound containing both limestone and sandstone. Hollow interior.	Ceremonial / burial cairn
ING 150	CAIRN	74537	76872	LP	349	3.0m x 2.0m x 0.5m	Low, grass covered mound with large earthfast limestone boulder and three smaller limestone rocks. Possibly natural. Oval with axis NW-SE.	Ceremonial / burial cairn
ING 151	CAIRN	74627	76786	LP	355	3.8m x 3.7m x 0.5m	Low, grass covered subcircular mound with central limestone blocks and a sandstone and limestone kerb	Ceremonial / burial cairn
ING 152	CAIRN	74483	76638	LP	337	3.8m x 3.3m x 0.5m	Low, subcircular grass covered mound with a large limestone boulder in the centre and 1x sandstone. 4 sandstone rocks outlying to the east.	Ceremonial / burial cairn
ING 153	ENCLOSURE	74511	76673	LP	352	6.4m X 6.4m X 0.2m	Low subcircular earth and stone bank containing both limestone and sandstone. Possible entrance to NW	
ING 154	CAIRN	74520	76687	LP	351	7.0m x 4.5m x 0.5m	Large low grassy mound containing both limestone and sandstone. Orientated N-S, towards summit of Ingleborough.	Ceremonial / burial cairn
ING 155	BOULDER FEATURE	74378	76780	LP	346	1.4m x 0.8m x 1.4m	Large limestone boulder balanced on a secondary boulder on a raised base (3.2m x 1.7m x 0.5m) in the middle of limestone pavement	
ING 156	CAIRN	74246	76613	LP	360	2.8m x 2.5m x 1.3m	Prominent, subcircular limestone cairn. Average stone size 0.3m	Burial/marker cairn
ING 157	CAIRN	73953	76225	LP	368	1.5m x 1.5m x 0.8m	Prominent subcircular limestone cairn on grassy knoll. Av. stone size 0.3m	Ceremonial/ burial cairn
ING 158	CAIRN	73879	76017	LP	373	3.0m x 2.2m x 0.5m	Prominent earth and limestone cairn on grassy knoll overlooking Spice Gill. Av. stone size 0.3m	Ceremonial/ burial cairn
ING 159	LINEAR FEATURE	74009	76334	LP	362	18.0m x 1.0m	Linear earth and stone embankment running E - W across the terrace. Mainly limestone - 2 pieces of sandstone. Probable field boundary	
ING 160	TRACKWAY	N 73994 S 74054	76253 76096	U	N:370m S:375m	length 165.0m	A path through the limestone pavement with occasional stone markers	
ING 161	CAIRN	72734	75118	M	418	1.9m x 1.5m x 1.7m	Square base. Situated on the edge of the terrace. Well built, mainly limestone.	Marker cairn
ING 162	CAIRN	73532	76039	LP	367	diameter 3.5m.	Sub-circular limestone scatter incl.sandstone	Ceremonial/ burial cairn
ING 163	LINEAR FEATURE	NW 73532 SE 73554	76039 76025	LP	367	13.0m	Curvilinear low limestone bank with small sandstone boulder ending at ING162	
ING 164	LINEAR FEATURE	NW 73746 SE 73752	76064 76054	LP	369	12.5m x 2.0m	Broad limestone bank with one sandstone marking the end of the terrace.	
ING 165	CAIRN	73939	76282	LP	366	3.0m x 3.0m x 0.5m	Subcircular pile of limestone lying on top of stony grassy knoll	Burial/marker cairn
ING 166	CURVILINEAR FEATURE	73875 73896	76107 76126	U	374 375	length: 42.0m max.ht: 0.55m	Curvilinear, collapsed wall on edge of escarpment, enclosing robbedout limestone pavement. Some sandstone. Purpose obscure.	
ING 167	STONE PILE	73872	76117	Modern	370	2.6m x 2.2m x 1.0m	Adjoining ING166. Probably stones left after the partial removal of the pavement.	
ING 168	CAIRN	73005	75208	P	420	2.75m x 2.5m x 0.5m	Scattered limestone on grass-covered mound amidst limestone pavement. Possibly excavated	Ceremonial/ burial cairn
ING 169	FLINT	74164	75981	LN / BA		0.02m x 0.015m	Miscellaneous retouched flake. Good quality flint with cortex	
ING 170	STRUCTURE	72610	74852	PM	435	4.0m x 4.25m x 0.6m	Collapsed subcircular structure of unknown function. Built on top of an area of shattered limestone.	

Feature No.	Feature Type	NGR Easting	NGR Northing	Period	Altitude Metres	Dimensions (l x w x h)	Description	Comments
ING 171	WORKING AREA	73911	75188	PM	436	9.1m x 3.25m	Small blocks of cut stone, moss free. Appears of recent activity.	
ING 172	TURBARY	NE 74372	75075	M / PM	519	Area approx. 0.4 hectares	Extensive area of peat cutting in Humphrey Bottom. Average depth of peat 0.7m. No marker stones. Cut out in blocks or bays. Large areas have returned over. Possibly associated with Southerscales or with stone workers	
		SE 74386	75005		527			
		SW 74326	75007		531			
		NW 74303	75057		521			
ING 173	TRACKWAY	73990 74180	75073 75052	M / PM	480 512	approx. 2.0m width 92m long	The track crosses the scree field and gradually loses clarity but it seems to run above the workings and appears to lead to the turbary. Turfed over in parts and obscured by landslips.	
ING 174	CAIRN	74163	75020	U	525	1.0m x 1.0m x 0.5m	Sandstone cairn adjacent to rock chute. Above track ING 173	Marker cairn
ING 175	SHELTER	74187	74991	PM	543	length internal 1.45m width internal 0.65m to 0.58m at entrance	Well built sandstone shelter facing N. No corbelling or roof. Natural boulder in SE corner. Ht (back wall) 1.2m. Wall width: W 0.5m E 0.57m S 0.3m. One integral piece of limestone in the foundations.	
ING 176	TRACKWAY	74154 74202	74984 74996	PM	543	Length approx 53.0m	Short broad track through rock chute, passing under the shelter ING175 terminating at a possible working area ING180	
ING 177	WORKED SANDSTONE	74263	75025	M / PM	533	diameter 1.60m thickness 0.25m	Large partially completed millstone broken into 2 pieces. Hole diameter 0.22m	
ING 178	WORKED SANDSTONE	73819	75045	M / PM	461	1.03m x 0.85 m (to 0.65m) x 0.26m	Roughed out grindstone with very distinct chisel marks along one edge.	
ING 179	CAIRN	73793	75032	PM	463	0.75m x 0.75m x 0.6m	Three gritstone boulders placed on larger boulder in rock chute	Marker cairn
ING 180	WORKING AREA	74154	74984	U	546		Track appears to terminate here. Small platform of indeterminate use.	
ING 181	STONE PILE	74069	76270	U	374	diameter 1.8m. ht.0.5m	Mainly large limestone slabs set on limestone pavement. Thought possibly to be the result of stone robbing rather than being a cairn	
ING 182	MINE TRIAL	73033	74607	PM	440		A small lead or copper trial working dug out into a low limestone plateau with 2 small spoil heaps & small delf. Adjacent to miners' coe (ING 183), possibly associated with it.	
ING 183	MINERS' COE	73025	74596	PM	449	ext.4.5m x 4.0m int.2.0m x 1.5m	A collapsed stone structure, similar to coes found in Derbyshire	
ING 184	CAIRN	72800	75123	P	423	diam.2.5m Height of wall on SW: 0.5m	The original cairn lies below a later structure, which appears to have been a shelter, possibly associated with the robbing of the limestone pavement.	Ceremonial/ burial cairn